

Practice: 332 - Contour Buffer Strips**Scenario: #1 - Native grass buffer strip****Scenario Description:**

Narrow strips of permanent, herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to all cropland. Practice includes seedbed prep and planting of native species. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Native grasses, legumes and forbs will be established in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Native species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: number of acres in native species

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$323.01

Scenario Cost/Unit: \$323.01

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.93	1	\$5.93
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.65	1	\$20.65
Foregone Income						
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$262.26	0.5	\$131.13
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$157.48	0.5	\$78.74
Materials						
One Species, Warm Season, Native Perennial Grass	2322	Native, warm season perennial grass. Includes material and shipping only.	Acre	\$70.93	1	\$70.93
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	1	\$15.63

Practice: 332 - Contour Buffer Strips**Scenario: #2 - Introduced grass strip****Scenario Description:**

Narrow strips of permanent, herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to all cropland. Practice includes seedbed prep and planting of mainly introduced species. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Introduced grasses and legumes will be established in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Introduced species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: Number of acres in introduced species

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$284.80

Scenario Cost/Unit: \$284.80

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.93	1	\$5.93
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.65	1	\$20.65
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$157.48	0.5	\$78.74
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$262.26	0.5	\$131.13
Materials						
One Species, Cool Season, Introduced Perennial Grass	2313	Introduced, cool season perennial grass. Includes material and shipping only.	Acre	\$32.72	1	\$32.72
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	1	\$15.63

Practice: 332 - Contour Buffer Strips**Scenario: #3 - Pollinator habitat strip****Scenario Description:**

Narrow strips of permanent, herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to all cropland. Practice includes seedbed prep and planting of mainly pollinator friendly species. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Plant species will be established in strips in the field to meet the water erosion resource needs AND provide the targeted wildlife/pollinators the necessary food and/or cover AND any other producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species selected shall meet the wildlife/pollinator habitat requirements of the state and be adapted to site; not function as a host for diseases of a field crop and; have physical characteristics necessary to control sheet and rill erosion to tolerable levels on the cropped area of the field.

Scenario Feature Measure: Number of acres in pollinator species

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$483.83

Scenario Cost/Unit: \$483.83

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$10.77	1	\$10.77
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.93	1	\$5.93
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.65	1	\$20.65
Foregone Income						
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$262.26	0.5	\$131.13
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$157.48	0.5	\$78.74
Materials						
Three plus Species Mix, Warm Season, Native Perennial	2327	Native, warm season perennial grass. Includes material and shipping only.	Acre	\$220.98	1	\$220.98
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.63	1	\$15.63

Practice: 332 - Contour Buffer Strips**Scenario: #4 - 332-Organic Seed, with forgone income****Scenario Description:**

Narrow strips of permanent, herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to all cropland. Practice includes seedbed prep and planting of certified organic seed, or organically grown seed. This cost does not apply to use of conventional grown, untreated seed. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Certified organic grass and legume seed will be planted in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: Number of Acres in organic species

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$310.91

Scenario Cost/Unit: \$310.91

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Tillage, Light	945	Includes light disking (tandem) or field cultivator. Includes equipment, power unit and labor costs.	Acre	\$10.77	1	\$10.77
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.65	1	\$20.65
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$157.48	0.5	\$78.74
FI, Corn Dryland	1959	Dryland Corn is Primary Crop	Acre	\$262.26	0.5	\$131.13
Materials						
Certified Organic, Three Species Mix, Cool Season, Perennial Grasses and Legumes	2340	Certified organic cool season perennial grass and legume mix. Includes material and shipping only.	Acre	\$69.62	1	\$69.62